



newly ⁿ
CONNECTING ART



INDEX

INNOVATIONS	4 · 5
R10	6 · 7
R20	8 · 9
R30	10 · 11
R40	12 · 13
R50	14 · 15
SETUP	16 · 17
PANEL DISPLAY	18 · 19
SOLO HANGER	20
CEILINGHANGER	21
STOPPER	22
D.I.Y.	23

06




10




20




18






- 1 Easy and swift installation thanks to the free drilling template. Therefore you always have the right drilling distance from the ceiling.
- 2 Clip is also railconnector.
- 3 All rail can be installed tight to the ceiling, this gives a very neat finish.
- 4 The rail can be re-painted without any special preparations.
- 5 The head of the Twister cord completely disappears into the rail, invisible which is unique.
- 6 R30: The unique R30 rail is a combination between 2 traditional types of rail like the cliprail and the J-rail.
- 7 R40: The R40 rail is the only ceilingrail which can be installed with clips, easier and stronger then the traditional ceiling rail.
- 8 Newly offers 5 years manufacturers warranty.

Twister cord




- Twist and secure, therefore a safe and secure fixing.
- Can be used in any location along the rail.
- Really tight but also easy to move.
- Maximum capacity 20 kg/ 44lb.



- 1: Easy vertical inserting without bending or tilting the cord.
- 2: After twisting the Twister a quarter turn, it is locked in the upper compartment of the rail.
- 3: By moving down the Twister it is secured.

Hook



The H100 hook

Exclusive Newly designhook

- 1: Easy to adjust to the millimeter, both suitable for left or right handed.
- 2: Self locking systems with steel balls therefore no cutting into the perlon.
- 3: Capacity 20 kg/44lbs on both perlon and steel cord.

Clip



- Easy and secure installation!
- Always flat against the wall.
- Thanks to this innovative clip the rail can be installed tight to the ceiling.
- The rail can be clicked onto the clip by one touch.
- Fixed and secure due to secured and flexible joiners.
- Clip is also rail connector.

Panel Display



The panel display, the perfect and only solution to hang dibond, plexiglass, wooden panels, carton, aluminium, or any other material with a thickness between 3mm and 6mm. (0,1 and 0,25 inch) on a hanging system without installing, glueing or nailing on the back of the object. Installation is easy between the flexible clampers..

Plaster screw



This screw has been specially developed for fast and secure installation on plaster walls without using a plug.

Solo hanger



The perfect solution for flexibility with a minimum of installation. Perfect to hang an object on a small wall or from the ceiling or any steep ceilings.

Ceilinghanger




Use the steel profile of your panel ceiling as a hanging rail, perfect solution for offices and so to have a flexible hanging system without installing a rail.



COMPACT

- 1 Installing tight to the ceiling
- 2 Re-paintable
- 3 Easy one touch installation
- 4 Hanging in any position into the rail
- 5 Invisible hanging of the Twister head
- 6 Maximum 20kg per meter (44lb.)



Rail R10



The R10 wall rail is produced from high quality aluminium and is suitable for 20kg/44lbs per meter (size 17 x 12 mm/0.7 x 0.5 inch).

Available in 2 colours:

White/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver

Anodized aluminium, gives a very contemporary and robust look.

Each rail is separately packed in shrink wrap to avoid surface damage.

Article numbers

Newly R10 rail 200 cm/ 6.5 ft white	1101.201
Newly R10 rail 300 cm/9.8 ft white	1101.301
Newly R10 rail 200 cm/6.5 ft silver	1102.201

Newly R10 end cap white	2101.100
Newly R10 end cap grey	2102.100
Newly R10 corner connector white	2101.200
Newly R10 corner connector grey	2102.200

Newly clip	3010.102*
Newly screw R-rail (3.5x35mm)	4010.100*
Plaster board screw	4010.110*
FISHER UX5x35R plug	4020.050*

* Use 3 pieces per meter

Hooks



Hook H30

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	3023.100
Newly H50 hook	3021.100
Newly H100 hook	3020.100
Newly H100 security hook	3020.200

Cords and rod



The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1.8 mm.

Both cords have a 20kg/44lb. capacity.

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Perlon Twister	
100 cm/3.2 ft	5010.100
150 cm/4.9 ft	5010.150
200 cm/6.5 ft	5010.200
250 cm/8.2 ft	5010.250
300 cm/9.8 ft	5010.300
500 cm/16.4 ft	5010.500

Steel Twister	
100 cm/3.2 ft	6010.100
150 cm/4.9 ft	6010.150
200 cm/6.5 ft	6010.200
250 cm/8.5 ft	6010.250
300 cm/9.4 ft	6010.300
500 cm/16.4 ft	6010.500

Rod Twister	
Rod Twister white 200cm/6.5 ft	4201.200
Rod hook H50 5kg/11 lbs	3021.200




R20

23mm
11,5mm

ALL-ROUND

- 1 Installing tight to the ceiling
- 2 Re-paintable
- 3 Easy one touch installation
- 4 Hanging in any position into the rail
- 5 Invisible hanging of the Twister head
- 6 Max. 30 kg/ 66 lbs per meter



Rail R20



The R20 wall rail is produced from high quality aluminium and is suitable till 30kg/66lbs per meter (size 17 x 12 mm/0.9 x 0.5 inch).

Available in 2 colours:

White/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver

Anodized aluminium, gives a very contemporary and robust look.

Each rail is separately packed in shrink wrap to avoid surface damage.

Article numbers

Newly R20 rail 200 cm/6.5 ft white	1201.200
Newly R20 rail 300 cm/9.8 ft white	1201.300
Newly R20 rail 200 cm/6.5 ft silver	1202.200

Newly R20 end cap white	2201.100
Newly R20 end cap grey	2202.100
Newly R20 corner connector white	2201.200
Newly R20 corner connector grey	2202.200

Newly clip	3010.102*
Newly screw R-rail (3.5x35mm)	4010.100*
Plaster board screw	4010.110*
FISHER UX5x35R plug	4020.050*

* Use 3 pieces per meter

Hooks



Hook H30

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	3023.100
Newly H50 hook	3021.100
Newly H100 hook	3020.100
Newly H100 security hook	3020.200

Cords and rod



The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1.8 mm.

Both cords have a 20kg/44lb. capacity

Besides these cords there is also a rigid 2 mm rod with a Twister head available. .

Article numbers

Perlon Twister	
100 cm/3.2 ft	5010.100
150 cm/4.9 ft	5010.150
200 cm/6.5 ft	5010.200
250 cm/8.2 ft	5010.250
300 cm/9.8 ft	5010.300
500 cm/16.4 ft	5010.500

Steel Twister	
100 cm/3.2 ft	6010.100
150 cm/4.9 ft	6010.150
200 cm/6.5 ft	6010.200
250 cm/8.5 ft	6010.250
300 cm/9.4 ft	6010.300
500 cm/16.4 ft	6010.500


Rod Twister	
Rod Twister white 200cm/6.5 ft	4201.200
Rod hook H50 5kg/11 lbs	3021.200






PROFESSIONAL

- 1 Easy one touch installation
- 2 Suitable for heavy duty rods and cords
- 3 Installing tight to the ceiling
- 4 Re-paintable
- 5 Hanging in any position into the rail
- 6 Capacity 50 kg/110 lbs per meter



Rail R30



The R30 is a professional wall hanging rail which is very suitable for galleries and museums, made of a high quality aluminium and has a capacity of 50 kg per meter/110 lbs per 6 ft.. (seize 34.8 x 11.5mm/1.37 inch x 0.45 inch).

Available in 2 colours:

White/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver

Anodized aluminium, gives a very contemporary and robust look.

Each rail is separately packed in shrink wrap foil to avoid surface damage.

Article numbers

Newly R30 rail 200 cm/6.5 ft white	1301.200
Newly R30 rail 300 cm/9.8 ft white	1301.300
Newly R30 rail 200 cm/6.5 ft silver	1302.200

Newly R30 end cap white	2301.100
Newly R30 end cap silver	2302.100
Newly R30 corner connector white	2301.200
Newly R30 corner connector grey	2302.200

Newly clip	3010.102*
Newly screw R-rail (3.5x35mm)	4010.100*
Plasterrail screw	4010.110*
FISHER UX5x35R plug	4020.050*

* Use 3 pieces per meter

Hanging rod



Classic heavy duty hanging rod for heavy objects. Both rod and hook are made of solid steel. The rod is 4x4mm/ 0.15 x 0.15 inch and has a length of 200cm/6.5 ft.

Article numbers

Newly S-rod 200 cm/6.5 ft white	4101.200
Newly S-rod hook 40 kg/88 lbs	3030.100

Hooks



Hook H30

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	3023.100
Newly H50 hook	3021.100
Newly H100 hook	3020.100
Newly H100 security hook	3020.200

Cords and rod



The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1.8 mm.

Both cords have a 20kg/44lb capacity.

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Perlon Twister	
100 cm/3.2 ft	5010.100
150 cm/4.9 ft	5010.150
200 cm/6.5 ft	5010.200
250 cm/8.2 ft	5010.250
300 cm/9.8 ft	5010.300
500 cm/16.4 ft	5010.500


Steel Twister	
100 cm/3.2 ft	6010.100
150 cm/4.9 ft	6010.150
200 cm/6.5 ft	6010.200
250 cm/8.5 ft	6010.250
300 cm/9.4 ft	6010.300
500 cm/16.4 ft	6010.500

Rod Twister	
Rod Twister white 200cm/6.5 ft	4201.200
Rod hook H50 5kg/11 lbs	3021.200



UP

- 1 Can be installed anywhere onto the ceiling
- 2 Invisible hanging of the Twister head
- 3 Ceiling installation
- 4 Hanging in any position into the rail
- 5 Re-paintable
- 6 Max. 20 kg per meter/44 lbs per 3 ft.



Rail R40



The R40 rail is the only rail in the world which can be attached onto the ceiling with clips. Unique, the rail can be installed anywhere along the ceiling. Very suitable to install in shop windows for displaying all kind of objects. The R40 ceiling rail is produced from high quality aluminium and is suitable to 20 kg per meter/ 44 lbs per 3 ft. (seize 18,3 x 17,6 mm/0,72 x 0,69 in).

Available in white/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations

Each rail is separately packed in shrink wrap to avoid surface damage.

Article numbers

Newly R40 Up rail white 200cm/6.5 ft	1401.200
Newly R40 end cap white	2401.100
Newly R40 clip	3010.400*
Newly screw R-rail (3.5x35mm)	4010.100*
FISHER UX5x35R plug	4020.050*

* Use 3 pieces per meter

Hooks



Hook H30

Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50

Maximum capacity 5 kg/11 lbs. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100

Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lbs on both perlon and steel cable.

Hook H100 security

This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lbs on both perlon- and steel cable. Suitable for public spaces.

Article numbers

Newly H30 hook	3023.100
Newly H50 hook	3021.100
Newly H100 hook	3020.100
Newly H100 security hook	3020.200

Cords and rod



The Twister comes in with a reliable transparent perlon cord ϕ 2 mm polyamide or with a contemporary looking steel cable ϕ 1,8 mm.

Both cords have a 20kg/44lb. capacity

Besides these cords there is also a rigid 2 mm rod with a Twister head available.


Article numbers

Perlon Twister	
100 cm/3.2 ft	5010.100
150 cm/4.9 ft	5010.150
200 cm/6.5 ft	5010.200
250 cm/8.2 ft	5010.250
300 cm/9.8 ft	5010.300
500 cm/16.4 ft	5010.500

Steel Twister	
100 cm/3.2 ft	6010.100
150 cm/4.9 ft	6010.150
200 cm/6.5 ft	6010.200
250 cm/8.5 ft	6010.250
300 cm/9.4 ft	6010.300
500 cm/16.4 ft	6010.500

Rod Twister	
Rod Twister white 200cm/6.5 ft	4201.200
Rod hook H50 5kg/11 lbs.	3021.200






R50

DISPLAY

Newly R50 rail is the most compact profile in the field of self clamping paper holders. You can perfectly display cards, posters, drawings without damaging them. You can use them at home, in offices, schools, restaurants and kindergarten. The specially developed rubber clamping profile into the rail makes it possible to hang different paper thicknesses in one. The R50 ceiling rail is produced from high quality aluminium in combination with a rubber clamping inside (formaat 29.5 x 14.2 mm/1,16 x 0,55 inch).



DISPLAY



Available in white/primer

A lively and bright primer white (RAL 9016) which can be repainted without any special preparations

The rail comes complete with end caps, screws and plugs.

Article numbers

Newly R50 rail white 100 cm/3.2 ft	1501.100
Newly R50 rail white 200 cm/6.5 ft	1501.200
Newly R50 rail clip	3010.500
Newly R50 end cap	2501.100



SETUP



PANEL DISPLAY

- 1 H300 set complete
- 2 Self locking lower clamp
- 3 Upper clamp
- 4 Easy and fast installation
- 5 Cords can be hidden easily on the backside
- 6 Easy, flexible and secure hanging



Panel Display



The Panel Display hanger is the perfect and only solution to hang dibond, plexiglass, wood panels, carton, aluminium or any other material with a thickness between 3 and 6mm/0.1 – 0.25 inch and a weight of 10 kg/22 lbs on a hanging system without glueing, nailing or making any holes into the object. Installing is simple due to a flexible clamping system.

The H300 set consists of 2 self locking lower clamps, 2 upper clamps and an instruction sheet but excluding cords.

Article numbers

Newly Panel Display set 10kg/22lbs 7070.300

Cords



The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1,8 mm.

Both cords have a 20kg/44lb. capacity

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers

Perlon Twister	
100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Steel Twister	
100 cm/3,2 ft	6010.100
150 cm/4,9 ft	6010.150
200 cm/6,5 ft	6010.200
250 cm/8,5 ft	6010.250
300 cm/9,4 ft	6010.300
500 cm/16,4 ft	6010.500



SOLOHANGER




SOLOHANGER

A great solution for flexibility with a minimum of installation needed. Perfect to hang from a ceiling but also useful to hang on a small wall, columns, shop windows and steel ceilings.

The Solohanger hanger offers the possibility to hang more than 1 object on the same cord to a total maximum of 20 kg/44lbs per set.

A complete Solohanger set consists of; mountingfoot, closing cap, steel cable 1,8mm. (100, 200 or 500cm/ 3,2, 6,5 or 16,4 feet) H100 hook, plug and screw.



Article numbers

Newly set Solohanger 100cm/3,2 feet 20kg/44lbs	7030.100
Newly set Solohanger 200cm/6,5 feet 20kg/44lbs	7030.200
Newly set Solohanger 500cm/16,4 feet 20kg/44lbs	7030.500



CEILINGHANGER



CEILINGHANGER


You can use the steel strip of your panel ceiling parallel to the wall as a hanging rail system with the Ceilinghanger Flexibele, easy and safe without installing a real system or drilling holes.



Article number

Newly Ceilinghanger set 200cm/6,5 feet 5kg/11lbs	7040.200
--	----------

A complete Ceilinghanger set consists of; a ceiling clamp with flexibel cover, a perlon cord 200cm/6,5 feet and a H50 hook with a maximum capacity of 5 kg/11 lbs per set.



STOPPER

STOPPER

The Newly Stopper set is the only solution to prevent sliding the cord down when the rail is installed under steep angle, like a an attic or stairs.

Screw the nipple in any place of the rail where the cord has to be stopped from sliding down.

A complete Stopper set consists of; screwnipple, perlon cord 150cm/4.9 feet, H50 hook and an allen key.



Article number
Newly Stopperset 5kg/11 lbs 7020.200

D.I.Y.



Article
R10 Rail blister 8020.120



Article
R20 Rail blister 8020.220



Article
H50 blister with perlon cord 150cm/4.9 feet. 8010.120



Article
Ceilinghanger blister 200cm/6.5 feet complete. 8010.180



Article
Solohanger blister 200cm/6.5 feet complete. 8010.190



Article
H100 hook with perlon cord 150cm/4.9 feet. 8010.130



Your dealer:

www.newly.nl