

INDEX





R10 RAIL	4 · 5
R20 RAIL	6 · 7
R30 RAIL	8 · 9
R35 RAIL LED	10 · 11
R70 RAIL	12 · 13
R40 RAIL	14 · 15
R50 DISPLAY	16 · 17
H300 PANEL DISPLAY	18 · 19
Z100 POWERBAR	20 · 21
SOLOHANGER	22
CEILINGHANGER	23
STOPPER SET	24
SALE SUPPORT	25



R10



Compact











- 1 Installing tight to the ceiling 2 Easy one touch installation
- 3 Re-paintable
- 4 Hanging in any position along the rail
- 5 Invisible hanging of the Twister head
- 6 Maximum 20kg per meter / 44 lb. per 3 ft.









The R10 wall rail is produced from high quality aluminium and is suit-able for 20 kg per meter / 44 lb per 3 ft. (size 17 x 12 mm/ 0,7 x 0,5 inch). Available in 2 colours.

White/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver: Anodized aluminium, gives a very contemporary and robust look.

Black: A stylish black colour.

Article numbers:

Newly R10 rail 150 cm/4.9 ft white	1101.150
Newly R10 rail 200 cm/6.5 ft white	1101.200
Newly R10 rail 200 cm/6,5 ft white packed per 1	1101.201
Newly R10 rail 300 cm/9,8 ft white	1101.300
Newly R10 rail 300 cm/9.8 ft white packed per 1	1101.301
Newly R10 rail 200 cm/6,5 ft silver packed per 1	1102.201
Newly R10 rail 200cm/6.5 ft black	1103.200
Newly R10 end cap white	2101.100
Newly R10 end cap silver	2102.100
Newly R10 end cap black	2103.100
Newly R10 corner connector white	2101.200
Newly R10 corner connector silver	2102.200
Newly R10 Installation set 200cm/6,5 ft	4040.200
Newly R10 Installation set 300cm/9.8 ft	4040.300
Newly clip white	3010.101*
Newly drill template	4090.100
Newly screw (3.5x40mm)	4010.120 *
Newly plaster board screw	4010.110*
FISCHER DUOPOWER 5mm plug 5x25	4020.060*
* I Ico 7 piacos par motor	

* Use 3 pieces per meter

Each rail is separately packed in shrink wrap to avoid surface damage.

Cords and rod



The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1,8 mm.

Both cords have a 20kg/44lb. capacity. Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Newly Set Perlon Twister 200cm	/6,5 ft + H10 4kg/8 lb hook
	7025.200
Newly set Perlon Twister 200cm/	6,5 ft + H100 20kg/44 lb hook
	7026.200
Steel Twister	
100 cm/3,2 ft	6010.100
150 cm/4,9 ft	6010.150
200 cm/6,5 ft	6010.200
250 cm/8,2 ft	6010.250
300 cm/9,8 ft	6010.300
500 cm/16.4 ft	6010 500

Rod Twister

Newly Rod 2mm Twister white 200cm/6,5 ft	4201.20
Newly Rod hook H50 5kg/11 lb	3021.20











Hook H10: Small hook with a maximum capacity of 4kg/8 lb. Only suitable for perlon cords. Easy to adjust while attached to the perlon cord, thanks to the spring mechanism.

Hook H30: Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50: Maximum capacity 5 kg/11 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100: Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lb on both perlon and steel cable.

Hook H100 security: This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lb on both perlon- and steel cable. Suitable for public spaces.

Newly H10 hook 4kg/8 lb	3024.100
Newly H30 hook 3kg /6 lb	3023.100
Newly H50 hook 5kg /11 lb	3021.100
Newly H100 hook 20kg /44 lb	3020.100
Newly H100 security hook 20kg /44 lb	3020.200

Rail R20

Cords and rod

Hooks

All-round














1 Installing tight to the ceiling 2 Easy one touch installation

4 Hanging in any position along the rail 5 Invisible hanging of the Twister head 6 Max. 30 kg per meter / 66 lb per 3 ft.

3 Re-paintable









The R20 wall rail is produced from high quality aluminium and is suitable till 30kg per meter / 66 lb per 3 ft. (size 17 x 12 mm/ 0,9 x 0,5 inch). Available in 2 colours.

White/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Alu/silver: Anodized aluminium, gives a very contemporary and robust look.

1201.150

4020.060*

Article numbers:

Newly R20 rail 150 cm / 4.9 ft white

Newly R20 rail 200 cm/6,5 ft white	1201.200
Newly R20 rail 300 cm/9,8 ft white	1201.300
Newly R20 rail 200 cm/6,5 ft silver	1202.200
Newly R20 end cap white	2201.100
Newly R20 end cap silver	2202.100
Newly R20 corner connector white	2201.200
Newly R20 corner connector silver	2202.200
Newly R20 Installation set 200cm/6,5 ft	4040.200
Newly R20 Installation set 300cm/9,8 ft	4040.300
Newly clip white	3010.101*
Newly drill template	4090.100
Newly screw (3.5x40mm)	4010.120 *
Newly plaster board screw	4010.110*

^{*} Use 3 pieces per meter

FISCHER DUOPOWER 5mm plug 5x25

Each rail is separately packed in shrink wrap to avoid surface damage.



The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1,8 mm.

Both cords have a 20kg/44 lb. capacity. Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Newly sets

Newly set Perlon Twister 200cm/6,5 ft + H10 4kg/8 lb hook

7025.200
Newly set Perlon Twister 200cm/6,5 ft + H100 20kg/44 lb hook
7026.200

Steel Twister

0 cm/3,2 ft	6010.100
0 cm/4,9 ft	6010.150
00 cm/6,5 ft	6010.200
60 cm/8,2 ft	6010.250
00 cm/9,8 ft	6010.300
00 cm/16,4 ft	6010.500

Rod Twister

Newly Rod 2mm Twister white 200cm/6,5 ft	4201.200
Newly Rod hook H50 5kg/11 lb	3021.200







Hook H10: Small hook with a maximum capacity of 4kg/8 lb. Only suitable for perlon cords. Easy to adjust while attached to the perlon cord, thanks to the spring mechanism.

Hook H30: Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50: Maximum capacity 5 kg/11 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100: Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lb on both perlon and steel

Hook H100 security: This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lb on both perlon- and steel cable. Suitable for public spaces.

Newly H10 hook 4kg /8 lb	3024.100
Newly H30 hook 3kg /6 lb	3023.100
Newly H50 hook 5kg /11 lb	3021.100
Newly H100 hook 20kg /44 lb	3020.100
Newly H100 security hook 20kg /44 lb	3020.200



Professional













3 Re-paintable

Easy one touch installation 2 Installing tight to the ceiling

4 Hanging in any position along the rail 5 Suitable for heavy duty rods and cords 6 Capacity 50 kg per meter / 110 lb per 3 ft.







The R30 is a professional wall hanging rail which is very suitable for galleries and museums, made of a high quality aluminium and has a capacity of 50 kg per meter/110 lb per 6 ft.. (size 34,8 x 11.5mm/1,37 inch x 0,45 inch). Available in

White/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Article numbers:

Newly R30 rail 200 cm/6,5 ft white	1301.200	
Newly R30 rail 300 cm/9,8 ft white	1301.300	
Newly R30 end cap white	2301.100	
Newly R30 corner connector white	2301.200	
Newly R30 Installation set 200cm/6,5 ft		
4040.200		

Newly R30 Installation set 300cm/9,8 ft 4040.300


Newly clip white	3010.101*
Newly drill template	4090.100
Newly screw (3.5x40mm)	4010.120 *
Newly plaster board screw	4010.110*
FISCHER DUOPOWER 5mm plug !	5x25
4020 0E0*	

^{*} Use 3 pieces per meter

Each rail is separately packed in shrink wrap to avoid surface damage.







Both cords have a 20kg/44lb capacity. Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Newly sets

Newly set Perion Twister 200cm/6,5 ft	
+ H10 4kg/8 lb hook	7025.200
Newly set Perlon Twister 200cm/6,5 ft	
+ H100 20kg/44 lb hook	7026.200

Steel Twister

100 cm/3,2 ft	6010.100
50 cm/4,9 ft	6010.150
200 cm/6,5 ft	6010.200
250 cm/8,5 ft	6010.250
300 cm/9,8 ft	6010.300
500 cm/16,4 ft	6010.500

Rod Twister

Newly Rod 2mm Twister white 200cm/6,5 ft	
4201.200	
Newly Rod hook H50 5kg/11 lb	3021.200





Classic heavy duty hanging rod for heavy

4x4mm/ 0,15 x 0,15 inch and has a length of

Newly S-rod alu white 200 cm/6,5 ft 4110.200

objects. The rod is made of aluminium

and the hook of solid steel. The rod is

Newly S-rod hook 20 kg/44 lb

200cm/6,5 ft.

Article numbers:











Hook H10: Small hook with a maximum capacity of 4kg/8 lb. Only suitable for perlon cords. Easy to adjust while attached to the perlon

Hook H30: Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lb. Suitable for all basic hanging functions on both perion cord and steel cable.

cord, thanks to the spring mechanism.

Hook H50: Maximum capacity 5 kg/11 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100: Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lb on both perlon and steel cable.


Hook H100 security: This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lb on both perlon- and steel cable. Suitable for public spaces.

Newly H10 hook 4kg /8 lb	3024.100
Newly H30 hook 3kg /6 lb	3023.100
Newly H50 hook 5kg /11 lb	3021.100
Newly H100 hook 20kg /44 lb	3020.100
Newly H100 security hook 20kg /44	í lb
3020.200	

R35 LED



LED









1 Easy one touch installation

3 Re-paintable

6 LED light dimmable

2 Installing min 10 cm under the ceiling

4 Hanging in any position along the rail 5 Capacity 30 kg per meter / 66 lb per 3 ft.



n Rail R35 LED







The R35 LED is a premium wall hanging rail, ideal for residential areas. It is constructed from high-quality aluminum and features integrated LED lighting which is dimmable with the remote controler. The R35 LED can support up to 30 kg per meter / 66 lb per 6 ft. (size 35 x 12mm /1.38 inch x 0.47 inch). Available in

White/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Article numbers:

1351.200
2350.100
2351.200
1359.010
1359.020
1359.030
3010.101*
4010.120 *
4010.110*
4020.060*

Each rail is separately packed in shrink wrap to avoid surface damage.



Cords and rod

The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1,8 mm.

Both cords have a 20kg/44lb capacity. Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Newly sets

Newly set Perion Twister 200cm/6,5 It	
+ H10 4kg/8 lb hook	7025.200
Newly set Perlon Twister 200cm/6,5 ft	
+ H100 20kg/44 lb hook	7026.200

Steel Twister

100 cm/3,2 ft	6010.100
150 cm/4,9 ft	6010.150
200 cm/6,5 ft	6010.200
250 cm/8,5 ft	6010.250
300 cm/9,8 ft	6010.300
500 cm/16,4 ft	6010.500

Rod Twister

Newly Rod 2mm Twister white 200cm/6,5 ft	4201.20
Newly Rod hook H50 5kg/11 lb	3021.20





Hook H10: Small hook with a maximum capacity of 4kg/8 lb. Only suitable for perlon cords. Easy to adjust while attached to the perlon cord, thanks to the spring mechanism.

Hook H30: Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.


Hook H50: Maximum capacity 5 kg/11 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100: Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lb on both perlon and steel cable.

Hook H100 security: This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lb on both perlon- and steel cable. Suitable for public spaces.

Newly H10 hook 4kg /8 lb	3024.100
Newly H30 hook 3kg /6 lb	3023.100
Newly H50 hook 5kg /11 lb	3021.100
Newly H100 hook 20kg /44 lb	3020.100
Newly H100 security hook 20kg /44 lb	3020.200













1 Professional wall rail

plate








- 5 Place and cap
- 6 End cap screwed in
- 3 Easy adjustment to achieve level hanging using a mounting
- 4 Click the cover over the rail

2 Easy mounting flush against wall

- 7 Suitable for all Newly 2-mm hanging wires
- 8 Max. weight capacity 70 kg / 154 lb.





The R70 rail is produced from high quality aluminium and has a weight capacity of 70kg per meter / 154 lb per 3 ft.. The rail consists of two parts: an aluminium rail and an aluminium cover. Available in the colour white primer.

White/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

Article numbers:

Newly R70 rail 200 cm/6,5 ft white	6110.200
Newly R70 rail cover 200 cm/6.5 ft white	6120.200
Newly R70 end cap white	6100.040
Newly R70 Installation set 200 cm/6.5 ft	6100.050
Newly R70 Adjust plate	6100.010
Newly screw stainless steel Din 571 6x80	6100.020*
FISHER plug 8 mm Duopower	6100.030*
*I lea 7 piacas par matar	

^{*} Use 3 pieces per meter

Looking for specific Museum hanging systems? Have a look at our Track & Slide products: www.trackandslide.com







2.5-mm steel cable Twister Lock

2.5-mm steel cable including a Twister Lock for secure and reliable attachment of the wire in the rail.

Article numbers:

Newly 2.5mm steel cable Twister Lock 200 cm/6.5 ft	6200.200
Newly 2.5mm steel cable Twister Lock 300 cm/9.8 ft	6200.300
Newly 2.5mm steel cable Twister Lock 500 cm/16.4 ft	6200.500



H70 Autogrip Lock hook:

Designed specifically for hanging heavy works of art. The hook can only be used with the 2.5-mm steel cable Twister Lock. Equipped with safety and auto lock function.

Article numbers:

Newly H70 Autogrip Lock 70kg/154 lb.

6100.100



R70 rail is also compatible with:

All 2-mm steel and perlon hanging wires and rods.

The R70 rail is also ideal for hanging smaller and lighter pieces of art. Use in this case the 2-mm hanging wires in combination with the other Newly hooks.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Steel Twister

00 cm/3,2 ft	6010.100
50 cm/4,9 ft	6010.150
00 cm/6,5 ft	6010.200
50 cm/8,5 ft	6010.250
00 cm/9,8 ft	6010.300
00 cm/16,4 ft	6010.500


Hooks

Newly H10 hook 4 kg /8 lb	3024.100
Newly H30 hook 3kg /6 lb	3023.100
Newly H50 hook 5kg /11 lb	3021.100
Newly H100 hook 20kg /44 lb	3020.100
Newly H100 security hook 20kg /44 lb	3020.200

Up















1 Can be installed anywhere onto the

2 Invisible hanging of the Twister head

5 Hanging in any position along the rail 6 Max. 20 kg per meter/44 lb per 3 ft.

3 Ceiling installation 4 Re-paintable







n Rail R40



The R40 rail is the only rail in the world which can be attached onto the ceiling with clips. Unique, the rail can be installed anywhere along the ceiling. Very suitable to install in shop windows for displaying all kind of objects. The R40 ceiling rail is produced from high quality aluminium and is suitable to 20 kg per meter/ 44 lb per 3 ft. (seize 18,3 x 17,6 mm/ 0,72 x 0,69 in).

Available in white/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations

Article numbers:

Newly R40 ceiling rail white 200cm/6,5 ft	1401.200
Newly R40 end cap white	2401.100
Newly R40 clip	3010.400*
Newly screw (3.5x40mm)	4010.120 *
FISCHER DUOPOWER 5mm plug 5x25	4020.060*
Newly R40 Installation set 200cm/6.5 ft	4044.200
* Use 3 pieces per meter	

Each rail is separately packed in shrink wrap to avoid surface damage.





Cords and rod

The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1,8 mm.

Both cords have a 20kg/44lb. capacity. Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500

Newly set Perlon Twister 200cm/6,5 ft + H10 4kg/8 lb hook

7025.200	
Newly set Perlon Twister 200cm/6,5 ft + H100 20kg/44 lb hook	Ī
7026.200	

Steel Twister

00 cm/3,2 ft	6010.100
0 cm/4,9 ft	6010.150
00 cm/6,5 ft	6010.200
50 cm/8,5 ft	6010.250
00 cm/9,8 ft	6010.300
00 cm/16,4 ft	6010.500

Rod Twister

Newly Rod 2mm Twister white 200cm/6,5 ft	4201.200
Newly Rod hook H50 5kg/11 lb	3021.200











Hook H10: Small hook with a maximum capacity of 4kg/8 lb. Only suitable for perlon cords. Easy to adjust while attached to the perlon cord, thanks to the spring mechanism.

Hook H30: Smallest hook in the world, therefore suitable to hang clickframes and small pieces with triangle hanger. Maximum capacity 3 kg/6 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H50: Maximum capacity 5 kg/11 lb. Suitable for all basic hanging functions on both perlon cord and steel cable.

Hook H100: Most reliable, self locking and strongest hook on the market. Suitable till 20 kg/44 lb on both perlon and steel

Hook H100 security: This theft delaying hook is very solid, strong and reliable with a capacity of 20kg/44 lb on both perlon- and steel cable. Suitable for public spaces.

Newly H10 hook 4kg /8 lb	3024.100
Newly H30 hook 3kg /6 lb	3023.100
Newly H50 hook 5kg /11 lb	3021.100
Newly H100 hook 20kg /44 lb	3020.100
Newly H100 security hook 20kg /44 lb	3020.200

R50 Display

Newly R50 Display is the most compact profile in the field of self clamping paper holders. You can perfectly display cards, posters, drawings without damaging them. You can use them at home, in offices, schools, restaurants and kindergarten. The specially developed rubber clamping profile into the rail makes it possible to hang different paper thicknesses in one. The R50 Display is produced from high quality aluminium in combination with a rubber clamping inside (size 29.5 x 14.2 mm/1,16 x 0,55 inch)



Watch the installation video here











White/primer: A lively and bright primer white (RAL 9016) which can be repainted without any special preparations.

The rail comes with clips, end caps, screws and plugs.

Article Hurribers.	
Newly R50 display rail set white 100 cm/3,2 ft	1501.100
Newly R50 display rail set white 200 cm/6,5 ft	1501.200
Newly R50 display clip	3010.500
Newly R50 end cap white L+R	2501.100



H300

Panel Display













- 1 H300 complete set
- 2 Self locking lower clamp
- 3 Upper clamp
- 4 Easy and fast installation
- 5 Cords can be easily hidden on the reverse
- 6 Easy, flexible and secure hanging





10 H300 Panel Display



The H300 Panel Display hanger is the perfect and only solution to hang dibond, plexiglass, wood panels, carton, aluminium or any other material with a thickness between 3 and 6mm/

0,1 – 0,25 inch and a weight of 10 kg/22 lbs on a hanging system without glueing, nailing or making any holes into the object. Installing is simple due to a flexible clamping system.

The H300 set consists of 2 self locking lower clamps, 2 upper clamps and an instruction sheet but excluding cords.

Article numbers:

Newly H300 Panel Display hanger set 10kg/22lb 7070.300





The Twister comes in with a reliable transparent perlon cord ø 2 mm polyamide or with a contemporary looking steel cable ø 1,8 mm.

Both cords have a 20kg/44lb. capacity.

Besides these cords there is also a rigid 2 mm rod with a Twister head available.

Article numbers:

Perlon Twister

100 cm/3,2 ft	5010.100
150 cm/4,9 ft	5010.150
200 cm/6,5 ft	5010.200
250 cm/8,2 ft	5010.250
300 cm/9,8 ft	5010.300
500 cm/16,4 ft	5010.500


Steel Twister


100 cm/3,2 ft	6010.100
150 cm/4,9 ft	6010.150
200 cm/6,5 ft	6010.200
250 cm/8,5 ft	6010.250
300 cm/9,8 ft	6010.300
500 cm/16,4 ft	6010.500






Z100 Powerbar









- 1 Can be installed anywhere along the wall
- 2 Panel can be adjusted
- 3 Mount one bar to the panel, the other to the wall
- 4 Easy, flexible and secure hanging





1 Z100

The Z100 Powerbar offers an adjustable solution for hanging large panels. The panels can be hung stable against the wall. One bar of the Z100 is attached to the panel, the other bar is mounted to the wall. The panel can be adjusted horizontally.

The Z100 Powerbar is available in, 40 cm/1,3 ft, 60 cm/1,9 ft, 100 cm/3,2 ft and 200 cm/6,5 ft. The installation set is necessary to mount the Z100 and consists of 4 screws and 2 plugs.

Alticle Hullibers.	
Newly Z100 Powerbar 40cm/1,3 ft (pair of 2)	7100.040
Newly Z100 Powerbar 60cm/1,9 ft (pair of 2)	7100.060
Newly Z100 Powerbar 100cm/3.2 ft (p/10)	7100.100
Newly Z100 Powerbar 200cm/6.5 ft (p/10)	7100.200
Newly Z100 screw 3,5x40 PZ 2	4010.150*
Newly Z100 screw 3,5x12 PZ 2	4010.160*
FISCHER DUOPOWER 5mm plug 5x25	4020.060*
Newly Z100 Powerbar Installation set 20cm/0,6 ft	4045.020
* D	







SOLOHANGER



Solohanger



A great solution for flexibility with a minimum of installation needed. Perfect to hang from a ceiling but also useful to hang on a small wall, columns, shop windows and steel ceilings. The Solohanger hanger offers the possibility to hang more then 1 object on the same cord to a total maximum of 20 kg/44lb per set.

The Solohanger is available as a set with a steel cable or perlon cord. The set with perlon cord comes together with the H10 hook. A complete Solohanger set with steel cable consists of; mountingfoot, closing cap, steel cable 1,8mm. (100, 200 or 500cm/ 3,2, 6,5 or 16,4 ft) H100 hook, plug and screw.

The complete Solohanger set with perlon cord consists of mountingfoot, closing cap, perlon cord 2mm (200 cm/ 6,5 ft), H10 hook, plug and screw.

Newly Set Solohanger 20kg/44lb Steelwire 100cm/3,2ft	7030.10
Newly Set Solohanger 20kg/44lb Steelwire 200cm/6,5 ft	7030.20
Newly Set Solohanger 20kg/44lb Steelwire 500cm/16,4 ft	7030.50
Newly Set Solohanger 4kg/8 lb Perlon cord 200cm/ 6,5 ft	7035.20

installation video



CEILINGHANGER



Ceilinghanger









You can use the steel strip of your panel ceiling parallel to the wall as a hanging rail system with the Ceilinghanger Flexible, easy and safe without installing a real system or drilling holes.

A complete Ceilinghanger set consists of; a ceiling clamp with flexible cover, a perlon cord 200cm/6,5 ft and a hook. Available in Black and White

Newly Set Ceilinghanger 200cm/6,5 ft Perlon cord 5kg/11lb	7040.2
Newly Set Ceilinghanger 200cm/6.5 ft Perlon cord 4kg/8lb	7042.2
Newly Set Ceilinghanger Black 200cm/6.5ft Perlon cord 5kg/11lb	7041.2
Newly Set Ceilinghanger Black 200cm/6.5 ft Perlon cord 4kg/8lb	7043.2







STOPPER

Stopper set

The Newly Stopper set is the only solution to prevent sliding the cord down when the rail is installed on a steep angle in an attic or on the stairs.

Screw the nipple in at any point along the rail where the cord has to be stopped from sliding down.

A complete Stopper set consists of; screwnipple, perlon cord 150cm/4,9 ft, H50 hook and an allen key.



Article numbers:

Newly Stopper set Perlon cord 150cm/4,9 ft + Hook 5kg/11 lb



SALES SUPPORT

Floor Display



Sales Support

To support the sales and promotion of Newly hanging systems, Newly offers a selection of Sales Support material.

Sample Box













Desk Display R35 Rail LED



Sample kit

lewly Floor Display	9010.250
lewly Desk Display R35 Rail LED	9010.215
lewly Sample Box complete	9010.180
lewly Sample Box R70 Museum Line	9010.190
lewly mini catalog	9090.100
lewly Catalog	9090.200
lewly Sample kit R10	9010.110
lewly Sample kit R20	9010.120
lewly Sample kit R40	9010.170



NOTES

NOTES

Newly
Herastraat 39
5047 TX Tilburg
The Netherlands

Powered by Artite

www.newlypicturehangingsystems.com